

# Przeniesie Cię w nowy wymiar wrażeń dźwiękowych

KX-NT560

Menedżerski telefon IP



## KEY FEATURES

- Wyświetlacz LCD z podświetleniem o przekątnej 4,4 cala
- 36 swobodnie programowanych klawiszy funkcyjnych
- Wysokiej jakości szerokopasmowa transmisja głosu
- Tryb Eco
- Zgodny z zestawem EHS firmy Plantronics

**Doskonała wydajność i atrakcyjny wygląd: Panasonic oferuje duży wybór ergonomicznych terminali IP do praktycznie wszystkich zastosowań.**

Telefony IP z serii KX-NT500 gwarantują najwyższą jakość dźwięku dzięki zastosowaniu we wszystkich modelach technologii HD oraz łatwemu dostępowi do zaawansowanych funkcji wspomagających i aplikacji. Smukły, ultranowoczesnie wyglądający telefon jest dostępny w czarnej oraz białej wersji kolorystycznej, dzięki czemu może pasować do wystroju każdego biura.

Oferujące wiele funkcji telefony IP z serii KX-NT500 są zaskakująco proste w obsłudze. Każdy telefon ma duży wyświetlacz alfanumeryczny, wbudowany moduł Bluetooth (\*1) obsługujący bezprzewodowy zestaw słuchawkowy, przycisk łatwej nawigacji oraz drugi port IP, który pozwala ograniczyć ilość używanych kabli.

## SPECIFICATIONS

LCD Type	4.4 inch Graphic
LCD Dots (W x H)	242 x 218
LCD Line	6 (Main) + 4 (FF Keys)

LCD Backlight	Yes (On/Automatic/Off)
LCD Contrast	4 levels
Ethernet Port	2-Gigabit Ethernet port
Handset	Wideband compliant Hearing aid compatibility (HAC)
Headset Port	Yes (2.5 mm audio jack)
Electronics Hook Switch (EHS)	Yes*1 (3.5 mm audio jack)
Speakerphone	Yes (Full Duplex)
Microphone	Yes
Option Unit Connection	No
Bluetooth (for Headset)	Yes (Built-in)
PoE	Yes
AC Adapter	Yes (Option)
Wall Mount Kit	Yes (Option)
Dimension (W x D x H mm)	HIGH: 267 x 170 x 180 LOW: 267 x 187 x 155
FF Keys	32 (8 x 4 pages)
Page Key	Yes
Soft Keys	4
0-9, *, # Keys	Yes
Redial Key	Yes
Flash/Recall Key	Yes
Hold Key	Yes
SP-Phone Key	Yes
Auto Answer/Mute Key	Yes
Auto Dial/Store Key	Yes
Transfer Key	Yes
Intercom Key	Yes
Pause Key	Yes
CONF Key	Yes
FWD/DND Key	Yes
Message Key	Yes
Navigator Key	Yes
4-Directions Key	No
Cancel Key	Yes
LED Message/Ringer Lamp	Yes (Green/Red)
LED FF Keys	Yes (Green/Red)
LED Intercom	Yes (Green)
LED SP-Phone	Yes (Red)
LED Auto Answer/Mute	Yes (Red)
LED Auto Dial/Store	Yes (Red)
LED CONF	Yes (Red)
LED FWD/DND	Yes (Red)
Self-Labeling (Desi-Less)	Yes
Auto Redial	Yes*2
Off-Hook Monitor	Yes

Handset/Headset Mic Mute	Yes
Speakerphone Mic Mute	Yes
Phone Directory	Yes
Feature Access	Yes
Outgoing Call Log	Yes
Incoming Call Log	Yes
Melody Ringer	10 title
Tone Through	No
Firmware Upload	Yes
Peer-to-Peer Connection	Yes
VLAN	Yes
QoS (DiffServ)	Yes
DHCP Client	Yes
Audio Codec	Yes (G.722/G.711 (A-law/u-law)/G.729A)
VoIP Security	Yes
Ping Transmission	Yes
IP Port Flexibility	Yes
IPv6	No
Query/Announce	Yes
FTP	Yes
PTAP	Yes
MGCP	Yes
RTP	Yes
Rerouting to Secondary PBX	Yes
NAT Traversal (Same as UT Series)	No
XML Application	No
LLDP-MED	No
System Programming	Yes
Station Programming	Yes
Local Programming	Yes*3
Electric Volume Headset	6 levels
Electric Volume Handset	6 levels
Electric Volume Speakerphone	8 levels
Electric Volume Ringer	4 + Off
Tones/Music Ring Tone	30
Tones/Music on Hold	No (Tone)
ECO Mode	Yes
Ethernet Speed/Duplex	Yes (Auto/10M-Full/10M-Half/100M-Full/100M-Half)
Footnote	*1 Compatible with Plantronics serial bus (PSB) *2 Auto Redial feature is available on digital CO. *3 Local Programming items (IP Address/Subnetmask/Default Gateway/MAC Address (Only display)/MGCP Server IP Address/Ping send etc.). Language: only English

## CONTACT

Web: <https://business.panasonic.pl/rozwiazania-komunikacyjne/contact-us>